

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

Items of possible interest from the literature

A list of items from the literature which may be of interest to Members is attached.

**Secretariat
September 2008**

Bacillus

Hong HA, Huang JM, Khaneja R, Hiep LV, Urdaci MC, Cutting SM. The safety of *Bacillus subtilis* and *Bacillus indicus* as food probiotics. J Appl Microbiol. 2008 Aug;105(2):510-20.

Membré JM, Kan-King-Yu D, Blackburn CD. Use of sensitivity analysis to aid interpretation of a probabilistic *Bacillus cereus* spore lag time model applied to heat-treated chilled foods (REFEDs). Int J Food Microbiol. 2008 Jul 3. [Epub ahead of print]

Stenfors Arnesen LP, Fagerlund A, Granum PE. From soil to gut: *Bacillus cereus* and its food poisoning toxins. FEMS Microbiol Rev. 2008 Jul;32(4):579-606.

Campylobacter

van Asselt ED, de Jong AE, de Jonge R, Nauta MJ. Cross-contamination in the kitchen: estimation of transfer rates for cutting boards, hands and knives. J Appl Microbiol. 2008 Aug 18. [Epub ahead of print]

Bull SA, Thomas A, Humphrey T, Ellis-Iversen J, Cook AJ, Lovell R, Jorgensen F. Flock health indicators and *Campylobacter* spp. in commercial housed broilers reared in Great Britain. Appl Environ Microbiol. 2008 Sep;74(17):5408-13.

Colles FM, Jones TA, McCarthy ND, Sheppard SK, Cody AJ, Dingle KE, Dawkins MS, Maiden MC. *Campylobacter* infection of broiler chickens in a free-range environment. Environ Microbiol. 2008 Aug;10(8):2042-50.

Davis L, Young K, DiRita V. Genetic manipulation of *Campylobacter jejuni*. Curr Protoc Microbiol. 2008 Aug; Chapter 8.

Denis M, Rose V, Huneau-Salaün A, Balaine L, Salvat G. Diversity of pulsed-field gel electrophoresis profiles of *Campylobacter jejuni* and *Campylobacter coli* from broiler chickens in France. Poult Sci. 2008 Aug;87(8):1662-71.

Line J, Hiatt K, Conlan A. Comparison of challenge models for determining the colonization dose of *Campylobacter jejuni* in broiler chicks. Poult Sci. 2008 Sep;87(9):1700-6.

Reich F, Atanassova V, Haunhorst E, Klein G. The effects of *Campylobacter* numbers in caeca on the contamination of broiler carcasses with *Campylobacter*. Int J Food Microbiol. 2008 Sep 30;127(1-2):116-20.

Taylor NM, Davies RH, Ridley A, Clouting C, Wales AD, Clifton-Hadley FA. A survey of fluoroquinolone resistance in *Escherichia coli* and thermophilic *Campylobacter* spp. on poultry and pig farms in Great Britain. J Appl Microbiol. 2008 Sep 5.

Zweifel C, Scheu KD, Keel M, Renggli F, Stephan R. Occurrence and genotypes of *Campylobacter* in broiler flocks, other farm animals, and the environment during several rearing periods on selected poultry farms. *Int J Food Microbiol.* 2008 Jul 15;125(2):182-7.

Clostridium

Akhtar S, Paredes-Sabja D, Sarker MR. Inhibitory effects of polyphosphates on *Clostridium perfringens* growth, sporulation and spore outgrowth. *Food Microbiol.* 2008 Sep;25(6):802-8.

Jacobson MJ, Lin G, Whittam TS, Johnson EA. Phylogenetic analysis of *Clostridium botulinum* type A by multi-locus sequence typing. *Microbiology.* 2008 Aug;154(Pt 8):2408-15.

Koepke R, Sobel J, Arnon SS. Global occurrence of infant botulism, 1976-2006. *Pediatrics.* 2008 Jul;122(1).

Le Marc Y, Plowman J, Aldus CF, Munoz-Cuevas M, Baranyi J, Peck MW. Modelling the growth of *Clostridium perfringens* during the cooling of bulk meat. *Int J Food Microbiol.* 2008 Jul 19.

Loh JP, Liu YC, Chew SW, Ong ES, Fam JM, Ng YY, Taylor MB, Ooi EE. The rapid identification of *Clostridium perfringens* as the possible aetiology of a diarrhoeal outbreak using PCR. *Epidemiol Infect.* 2008 Aug;136(8):1142-6.

Myllykoski J, Lindström M, Keto-Timonen R, Söderholm H, Jakala J, Kallio H, Sukura A, Korkeala H. Type C bovine botulism outbreak due to carcass contaminated non-acidified silage. *Epidemiol Infect.* 2008 Jul 7:1-10.

***E.coli* O157**

Abuladze T, Li M, Menetrez MY, Dean T, Senecal A, Sulakvelidze A. Bacteriophages Reduce Experimental Contamination of Hard Surfaces, Tomato, Spinach, Broccoli, and Ground Beef with *Escherichia coli* O157:H7. *Appl Environ Microbiol.* 2008 Aug 22. [Epub ahead of print]

Brandl MT. Plant lesions promote the rapid multiplication of *Escherichia coli* O157:H7 on postharvest lettuce. *Appl Environ Microbiol.* 2008 Sep;74(17):5285-9.

Karama M, Johnson RP, Holtslander R, Gyles CL. Phenotypic and genotypic characterization of verotoxin-producing *Escherichia coli* O103:H2 isolates from cattle and humans. *J Clin Microbiol.* 2008 Sep 3. [Epub ahead of print]

Nart P, Naylor SW, Huntley JF, McKendrick IJ, Gally DL, Low JC. Responses of Cattle to Gastrointestinal Colonization by *Escherichia coli* O157:H7. *Infect Immun.* 2008 Sep 2. [Epub ahead of print]

Mather AE, Reid SW, McEwen SA, Ternent HE, Reid-Smith RJ, Boerlin P, Taylor DJ, Steele WB, Gunn GJ, Mellor DJ. Factors associated with the cross-contamination of hides of Scottish cattle with *Escherichia coli* O157. *Appl Environ Microbiol*. 2008 Aug 22. [Epub ahead of print]

Mellmann A, Bielaszewska M, Köck R, Friedrich AW, Fruth A, Middendorf B, Harmsen D, Schmidt MA, Karch H. Analysis of collection of hemolytic uremic syndrome-associated enterohemorrhagic *Escherichia coli*. *Emerg Infect Dis*. 2008 Aug;14(8):1287-90.

Mukherjee A, Yoon Y, Belk KE, Scanga JA, Smith GC, Sofos JN. Thermal inactivation of *Escherichia coli* O157:H7 in beef treated with marination and tenderization ingredients. *J Food Prot*. 2008 Jul;71(7):1349-56.

Robinson SE, Brown PE, Wright EJ, Hart CA, French NP. Quantifying within- and between-animal variation and uncertainty associated with counts of *Escherichia coli* O157 occurring in naturally infected cattle faeces. *J R Soc Interface*. 2008 Jul 22. [Epub ahead of print]

Williams AP, McGregor KA, Killham K, Jones DL. Persistence and metabolic activity of *Escherichia coli* O157:H7 in farm animal faeces. *FEMS Microbiol Lett*. 2008 Aug 19. [Epub]

Listeria

Cabanes D, Lecuit M, Cossart P. Animal models of listeria infection. *Curr Protoc Microbiol*. 2008 Aug.

Call DR, Orfe L, Davis MA, Lafrentz S, Kang MS. Impact of compounding error on strategies for subtyping pathogenic bacteria. *Foodborne Pathog Dis*. 2008 Aug;5(4):505-16.

Chaturongakul S, Raengpradub S, Wiedmann M, Boor KJ. Modulation of stress and virulence in *Listeria monocytogenes*. *Trends Microbiol*. 2008 Aug;16(8):388-96.

Clauss HE, Lorber B. Central Nervous System Infection with *Listeria monocytogenes*. *Curr Infect Dis Rep*. 2008 Jul;10(4):300-6.

Cossart P, Toledo-Arana A. *Listeria monocytogenes*, a unique model in infection biology: An overview. *Microbes Infect*. 2008 Aug 20. [Epub ahead of print]

Harris J. *Listeria monocytogenes*--which of your patients is not at risk? *Aust Nurs J*. 2008 Jul;16(1):26-8.

Mahmoud BS, Vaidya NA, Corvalan CM, Linton RH. Inactivation kinetics of inoculated *Escherichia coli* O157:H7, *Listeria monocytogenes* and *Salmonella* Poona on whole cantaloupe by chlorine dioxide gas. *Food Microbiol*. 2008 Oct;25(7):857-65.

Pal A, Labuza TP, Diez-Gonzalez F. Shelf life evaluation for ready-to-eat sliced uncured turkey breast and cured ham under probable storage conditions based on *Listeria monocytogenes* and psychrotroph growth. *Int J Food Microbiol*. 2008 Aug 15;126(1-2):49-56.

Ragon M, Wirth T, Hollandt F, Lavenir R, Lecuit M, Le Monnier A, Brisse S. A new perspective on *Listeria monocytogenes* evolution. *PLoS Pathog*. 2008 Sep 5;4(9).

Silva S, Teixeira P, Oliveira R, Azeredo J. Adhesion to and viability of *Listeria monocytogenes* on food contact surfaces. *J Food Prot*. 2008 Jul;71(7):1379-85.

Salmonella

Asai Y, Kaneko M, Ohtsuka K, Morita Y, Kaneko S, Noda H, Furukawa I, Takatori K, Hara-Kudo Y. *Salmonella* prevalence in seafood imported into Japan. *J Food Prot*. 2008 Jul;71(7):1460-4.

Crum-Cianflone NF. Salmonellosis and the gastrointestinal tract: more than just peanut butter. *Curr Gastroenterol Rep*. 2008 Aug;10(4):424-31.

Davis AL, Curtis PA, Conner DE, McKee SR, Kerth LK. Validation of cooking methods using shell eggs inoculated with *Salmonella* serotypes Enteritidis and Heidelberg. *Poult Sci*. 2008 Aug;87(8):1637-42.

Ethelberg S, Wingstrand A, Jensen T, Sørensen G, Müller L, Nielsen EM, Mølbak K. Large ongoing outbreak of infection with *Salmonella* Typhimurium U292 in Denmark, February-July 2008. *Euro Surveill*. 2008 Jul 10;13(28).

O'Flanagan D, Cormican M, McKeown P, Nicolay N, Cowden J, Mason B, Morgan D, Lane C, Irvine N, Browning L. A multi-country outbreak of *Salmonella* Agona, February - August 2008. *Euro Surveill*. 2008 Aug 14;13(33).

van der Fels-Klerx HJ, Tromp S, Rijgersberg H, van Asselt ED. Application of a transmission model to estimate Performance Objectives for *Salmonella* in the broiler supply chain. *Int J Food Microbiol*. 2008 Jul 6. [Epub ahead of print]

Gonzales Barron U, Bergin D, Butler F. A meta-analysis study of the effect of chilling on prevalence of *Salmonella* on pig carcasses. *J Food Prot*. 2008 Jul;71(7):1330-7.

Gradel KO, Schønheyder HC, Dethlefsen C, Kristensen B, Ejlersen T, Nielsen H. Morbidity and mortality of elderly patients with zoonotic *Salmonella* and *Campylobacter*: a population-based study. *J Infect*. 2008 Sep;57(3):214-22.

Jones SL, Parry SM, O'Brien SJ, Palmer SR. Operational practices associated with foodborne disease outbreaks in the catering industry in England and Wales. *J Food Prot.* 2008 Aug;71(8):1659-65.

Koutsoumanis K. A study on the variability in the growth limits of individual cells and its effect on the behaviour of microbial populations. *Int J Food Microbiol.* 2008 Jul 19.

Lanzas C, Warnick LD, Ivanek R, Ayscue P, Nydam DV, Gröhn YT. The risk and control of *Salmonella* outbreaks in calf-raising operations: a mathematical modeling approach. *Vet Res.* 2008 Sep 9;39(6):61.

Mataragas M, Skandamis PN, Drosinos EH. Risk profiles of pork and poultry meat and risk ratings of various pathogen/product combinations. *Int J Food Microbiol.* 2008 Aug 15;126(1-2):1-12.

Murray A, Mather H, Coia JE, Brown DJ. Plasmid-mediated quinolone resistance in nalidixic-acid-susceptible strains of *Salmonella* enterica isolated in Scotland. *J Antimicrob Chemother.* 2008 Sep 8.

Prendergast DM, Duggan SJ, Fanning S, Cormican M, Gonzales-Barron U, Butler F, Duffy G. Prevalence and numbers of *Salmonella* spp. and Enterobacteriaceae on pork cuts in abattoirs in the Republic of Ireland. *J Appl Microbiol.* 2008 Jun 24. [Epub ahead of print]

Puttamreddy S, Carruthers MD, Madsen ML, Minion FC. Transcriptome analysis of organisms with food safety relevance. *Foodborne Pathog Dis.* 2008 Aug;5(4):517-29.

del Río E, González de Caso B, Prieto M, Alonso-Calleja C, Capita R. Effect of poultry decontaminants concentration on growth kinetics for pathogenic and spoilage bacteria. *Food Microbiol.* 2008 Oct;25(7):888-94.

Soler P, Herrera S, Rodríguez J, Cascante J, Cabral R, Echeita-Sarriondia A, Mateo S; National Surveillance Network of Spain. Nationwide outbreak of *Salmonella* enterica serotype Kedougou infection in infants linked to infant formula milk, Spain, 2008. *Euro Surveill.* 2008 Aug 28;13(35).

Sharma S, Chandra P, Mishra C, Kakkar P. Microbiological Quality and Organochlorine Pesticide Residue in Commercially Available Ready-To-Eat Raisins. *Bull Environ Contam Toxicol.* 2008 Jul 31. [Epub ahead of print]

Toyofuku H. Epidemiological data on food poisonings in Japan focused on *Salmonella*, 1998-2004. *Food Addit Contam.* 2008 Aug 26:1-9.

Voetsch AC, Poole C, Hedberg CW, Hoekstra RM, Ryder RW, Weber DJ, Angulo FJ. Analysis of the FoodNet case-control study of sporadic *Salmonella* serotype Enteritidis infections using persons infected with other *Salmonella* serotypes as the comparison group. *Epidemiol Infect.* 2008 Jul 9:1-9.

Parasites

Lalonde LF, Gajadhar AA. Highly sensitive and specific PCR assay for reliable detection of *Cyclospora cayetanensis* oocysts. *Appl Environ Microbiol*. 2008 Jul;74(14):4354-8.

Libman MD, Gyorkos TW, Kokoskin E, Maclean JD. Detection of pathogenic protozoa in the diagnostic laboratory: result reproducibility, specimen pooling, and competency assessment. *J Clin Microbiol*. 2008 Jul;46(7):2200-5.

Traub RJ. The veterinary public health significance of *Giardia* and *Cryptosporidium*: getting things in perspective. *Vet J*. 2008 Sep;177(3):309-10.

Viruses

Butot S, Putallaz T, Sánchez G. Effects of sanitation, freezing and frozen storage on enteric viruses in berries and herbs. *Int J Food Microbiol*. 2008 Aug 15;126(1-2):30-5.

Cooper DL, Smith GE, Regan M, Large S, Groenewegen PP. Tracking the spatial diffusion of influenza and norovirus using telehealth data: a spatiotemporal analysis of syndromic data. *BMC Med*. 2008 Jun 26;6:16.

Dalton HR, Stableforth W, Hazeldine S, Thurairajah P, Ramnarace R, Warshaw U, Ijaz S, Ellis V, Bendall R. Autochthonous hepatitis E in Southwest England: a comparison with hepatitis A. *Eur J Clin Microbiol Infect Dis*. 2008 Jul;27(7):579-85.

Kroneman A, Verhoef L, Harris J, Vennema H, Duizer E, van Duynhoven Y, Gray J, Iturriza M, Böttiger B, Falkenhorst G, Johnsen C, von Bonsdorff CH, Maunula L, Kuusi M, Pothier P, Gallay A, Schreier E, Höhne M, Koch J, Szücs G, Reuter G, Krisztalovics K, Lynch M, McKeown P, Foley B, Coughlan S, Ruggeri FM, Di Bartolo I, Vainio K, Isakbaeva E, Poljsak-Prijatelj M, Grom AH, Mijovski JZ, Bosch A, Buesa J, Fauquier AS, Hernández-Pezzi G, Hedlund KO, Koopmans M. Analysis of integrated virological and epidemiological reports of norovirus outbreaks collected within the foodborne viruses in Europe Network from 1 July 2001 to 30 June 2006. *J Clin Microbiol*. 2008 Sep;46(9):2959-65.

Patel MM, Widdowson MA, Glass RI, Akazawa K, Vinjé J, Parashar UD. Systematic literature review of role of noroviruses in sporadic gastroenteritis. *Emerg Infect Dis*. 2008 Aug;14(8):1224-31.

Sala MR, Arias C, Domínguez A, Bartolomé R, Muntada JM. Foodborne outbreak of gastroenteritis due to Norovirus and *Vibrio parahaemolyticus*. *Epidemiol Infect*. 2008 Jul 31:1-4.