

# Atodiad 4: Lwfansau gofod a argymhellir ar gyfer gwartheg cig eidion dan do

Manylion am y lwfansau gofod a awgrymir ar gyfer gwartheg cig eidion dan do.

## Tabl 1: Lwfansau gofod ar loriau delltog a gofynion gofod ar gyfer cafnau

### Gofod Cafn (mm/pen)

| Pwysau'r anifail byw (kg) | Arwynebedd (ac eithrio cafnau) (m2/pen) | Bwydo cyfyngedig | Bwydo ad lib |
|---------------------------|---|------------------|--------------|
| 200                       | 1.1                                     | 400              | 100          |
| 300                       | 1.5                                     | 500              | 125          |
| 400                       | 1.8                                     | 600              | 150          |
| 500                       | 2.1                                     | 600              | 150          |
| 600                       | 2.3                                     | 600              | 150          |

## Tabl 2: Lwfansau gofod mewn iardiau gwely

| Pwysau'r anifail byw (kg) | Ardal gwely (m2/pen) | Ardal cadw/bwydo (m2/pen) | Cyfanswm arwynebedd |
|---------------------------|----------------------|---------------------------|---------------------|
| 200                       | 2.0                  | 400                       | 100                 |
| 300                       | 2.4                  | 500                       | 125                 |
| 400                       | 2.6                  | 600                       | 150                 |
| 500                       | 3.0                  | 600                       | 150                 |
| 600                       | 3.4                  | 600                       | 150                 |

Ffynonellau:

1. Farm and Rural Buildings Pocketbook (1991)