

# Atodiad 4: Lwfansau gofod a argymhellir ar gyfer gwartheg cig eidion dan do

Manylion am y lwfansau gofod a awgrymir ar gyfer gwartheg cig eidion dan do.

**Tabl 1: Lwfansau gofod ar loriau delltog a gofynion gofod ar gyfer cafnau**

Gofod Cafn (mm/pen)

Pwysau'r anifail byw (kg)	Arwynebedd (ac eithrio cafnau) (m2/pen)	Bwydo cyfyngedig	Bwydo ad lib
200	1.1	400	100
300	1.5	500	125
400	1.8	600	150
500	2.1	600	150
600	2.3	600	150

**Tabl 2: Lwfansau gofod mewn iardiau gwely**

Pwysau'r anifail byw (kg)	Ardal gwely (m2/pen)	Ardal cadw/bwydo (m2/pen)	Cyfanswm arwynebedd
200	2.0	400	100
300	2.4	500	125
400	2.6	600	150
500	3.0	600	150

<b>Pwysau'r anifail byw (kg)</b>	<b>Ardal gwely (m2/pen)</b>	<b>Ardal cadw/bwydo (m2/pen)</b>	<b>Cyfanswm arwynebedd</b>
600	3.4	600	150

Ffynonellau:

1. Farm and Rural Buildings Pocketbook (1991)