

Nitrate Surveillance: Appendix 1

Download a fully copy of the data tables:

EXCEL

[View Nitrate Surveillance: Appendix 1 data tables as Excel\(Open in a new window\)](#) (84.71 KB)

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| June 2021 | | Max. permitted (mg NO ₃ /kg) | No. samples | Min. NO ₃ (mg kg ⁻¹) | Max. NO ₃ (mg kg ⁻¹) | Mean NO ₃ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₃ (mg kg ⁻¹) | Max. NO ₃ (mg kg ⁻¹) | Mean NO ₃ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Lettuce grown in the open air | 4000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 6 | 6 | 6 | 6 | 6 | 6 | 3 | 597.2 | 1150.7 | 843.8 | 6 | 6 |
| | Lettuce grown in the open air | 3000 | 9 | 50 | 3157.7 | 707.4 | 1 | 1 | 14 | 50 | 3157.7 | 943.1214 | 1 | 1 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Iceberg type lettuce | Lettuce grown in the open air | 2000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 3 | 394.9 | 797 | 550.1 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Spinach | Fresh | 3500 | 1 | 213.9 | 213.9 | 213.9 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Rocket | Harvested 01 October - 31 March | 7000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Harvested 01 April - 30 September | 6000 | 6 | 6 | 6 | 6 | 6 | 6 | 3 | 1020.6 | 3989.6 | 2449.367 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Other leafy green veg | | n/a | 1 | 904.7 | 904.7 | 904.7 | 6 | 6 | 1 | 904.7 | 904.7 | 904.7 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Total | | 14 | | | | 1 | 1 | 35 | | | | 1 | 1 |

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| July 2021 | | Max. permitted (mg NO ₃ /kg) | No. samples | Min. NO ₃ (mg kg ⁻¹) | Max. NO ₃ (mg kg ⁻¹) | Mean NO ₃ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₃ (mg kg ⁻¹) | Max. NO ₃ (mg kg ⁻¹) | Mean NO ₃ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Lettuce grown in the open air | 4000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 6 | 6 | 6 | 6 | 6 | 6 | 3 | 597.2 | 1150.7 | 843.8 | 6 | 6 |
| | Lettuce grown in the open air | 3000 | 11 | 478.4 | 1927 | 1144.545 | 6 | 6 | 25 | 50 | 3157.7 | 1031.745 | 1 | 1 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Iceberg type lettuce | Lettuce grown in the open air | 2000 | 2 | 547.6 | 689 | 618.25 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Spinach | Fresh | 3500 | 1 | 1141.9 | 1142 | 1141.9 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Rocket | Harvested 01 October - 31 March | 7000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Harvested 01 April - 30 September | 6000 | 1 | 614.1 | 614 | 614.1 | 6 | 6 | 4 | 614.1 | 3989.6 | 1990.55 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Other leafy green veg | | n/a | 2 | 51.2 | 407 | 229.1 | 6 | 6 | 3 | 51.2 | 904.7 | 454.3 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Total | | 17 | | | | 6 | 6 | 52 | | | | 1 | 1 |

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| August 2021 | | Max. permitted (mg NO ₃ /kg) | No. samples | Min. NO ₃ (mg kg ⁻¹) | Max. NO ₃ (mg kg ⁻¹) | Mean NO ₃ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₃ (mg kg ⁻¹) | Max. NO ₃ (mg kg ⁻¹) | Mean NO ₃ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Lettuce grown in the open air | 4000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 1 | 881.5 | 882 | 881.5 | 6 | 6 | 4 | 597.2 | 1150.7 | 853.225 | 6 | 6 |
| | Lettuce grown in the open air | 3000 | 13 | 50 | 2608 | 1118.208 | 6 | 6 | 38 | 50 | 3157.7 | 1061.326 | 1 | 1 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Iceberg type lettuce | Lettuce grown in the open air | 2000 | 6 | 163 | 1606 | 1078.133 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Spinach | Fresh | 3500 | 4 | 428 | 1669 | 1075.2 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Rocket | Harvested 01 October - 31 March | 7000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Harvested 01 April - 30 September | 6000 | 2 | 1639 | 1579 | 1559 | 6 | 6 | 6 | 614.1 | 3989.6 | 1946.7 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Other leafy green veg | | n/a | 2 | 50 | 882 | 466.15 | 6 | 6 | 5 | 50 | 904.7 | 459.04 | 6 | 6 |
| | | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Total | | 28 | | | | 6 | 6 | 80 | | | | 1 | 1 |

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| September 2021 | | Max. permitted (mg NO ₂ /kg) | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Lettuce grown in the open air | 4000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 5 | 822.9 | 4620.5 | 3203.48 | 1 | 1 | 9 | 597.2 | 4620.5 | 2158.922 | 1 | 1 |
| | Lettuce grown in the open air | 3000 | 11 | 585 | 3250 | 1218.138 | 1 | 1 | 49 | 50 | 3250 | 1096.529 | 2 | 2 |
| Iceberg type lettuce | Lettuce grown in the open air | 2000 | 3 | 149 | 1391.4 | 959.2333 | 6 | 6 | 15 | 149 | 1701.3 | 928.9733 | 6 | 6 |
| Spinach | Fresh | 3500 | 4 | 230 | 3819.1 | 1728.075 | 1 | 1 | 19 | 92.6 | 3819.1 | 1102.063 | 1 | 1 |
| Rocket | Harvested 01 October - 31 March | 7000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | Harvested 01 April - 30 September | 6000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 614.1 | 3986.6 | 1846.7 | 6 | 6 |
| Other leafy green veg | | n/a | 3 | 2199 | 3731.3 | 2776.233 | 6 | 6 | 8 | 50 | 3731.3 | 1327.988 | 6 | 6 |
| Total | | | 29 | | | | 3 | 3 | 106 | | | | 4 | 4 |

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| October 2021 | | Max. permitted (mg NO ₂ /kg) | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 2 | 3687.1 | 4390.1 | 4038.6 | 6 | 6 | 2 | 3687.1 | 4390.1 | 4038.6 | 6 | 6 |
| | Lettuce grown in the open air | 4000 | 9 | 1037.4 | 2917.8 | 1783.078 | 6 | 6 | 9 | 1037.4 | 2917.8 | 1783.078 | 6 | 6 |
| | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 6 | 6 | 6 | 6 | 6 | 6 | 9 | 597.2 | 4620.5 | 2158.922 | 1 | 1 |
| | Lettuce grown in the open air | 3000 | 6 | 6 | 6 | 6 | 6 | 6 | 49 | 50 | 3250 | 1096.529 | 2 | 2 |
| Iceberg type lettuce | Lettuce grown in the open air | 2000 | 3 | 672.8 | 1388.1 | 968.1 | 6 | 6 | 18 | 149 | 1701.3 | 935.1611 | 6 | 6 |
| Spinach | Fresh | 3500 | 3 | 448.5 | 3282 | 1720.867 | 6 | 6 | 22 | 92.6 | 3819.1 | 1186.445 | 1 | 1 |
| Rocket | Harvested 01 October - 31 March | 7000 | 1 | 4158.5 | 4158.5 | 4158.5 | 6 | 6 | 1 | 4158.5 | 4158.5 | 4158.5 | 6 | 6 |
| | Harvested 01 April - 30 September | 6000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 614.1 | 3986.6 | 1846.7 | 6 | 6 |
| Other leafy green veg | | n/a | 14 | 524.7 | 5540.6 | 2623.786 | 6 | 6 | 22 | 50 | 5540.6 | 2152.586 | 6 | 6 |
| Total | | | 32 | | | | 6 | 6 | 138 | | | | 4 | 4 |

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| November 2021 | | Max. permitted (mg NO ₂ /kg) | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 6 | 6 | 6 | 6 | 6 | 6 | 2 | 3687.1 | 4390.1 | 4038.6 | 6 | 6 |
| | Lettuce grown in the open air | 4000 | 6 | 6 | 6 | 6 | 6 | 6 | 9 | 1037.4 | 2917.8 | 1783.078 | 6 | 6 |
| | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 6 | 6 | 6 | 6 | 6 | 6 | 9 | 597.2 | 4620.5 | 2158.922 | 1 | 1 |
| | Lettuce grown in the open air | 3000 | 6 | 6 | 6 | 6 | 6 | 6 | 49 | 50 | 3250 | 1096.529 | 2 | 2 |
| Iceberg type lettuce | Lettuce grown in the open air | 2000 | 6 | 6 | 6 | 6 | 6 | 6 | 18 | 149 | 1701.3 | 935.1611 | 6 | 6 |
| Spinach | Fresh | 3500 | 6 | 6 | 6 | 6 | 6 | 6 | 22 | 92.6 | 3819.1 | 1186.445 | 1 | 1 |
| Rocket | Harvested 01 October - 31 March | 7000 | 6 | 6 | 6 | 6 | 6 | 6 | 1 | 4158.5 | 4158.5 | 4158.5 | 6 | 6 |
| | Harvested 01 April - 30 September | 6000 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 614.1 | 3986.6 | 1846.7 | 6 | 6 |
| Other leafy green veg | | n/a | 2 | 50 | 800.9 | 425.45 | 6 | 6 | 24 | 50 | 5540.6 | 2008.658 | 6 | 6 |
| Total | | | 2 | | | | 6 | 6 | 140 | | | | 4 | 4 |

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| December 2021 | | Max. permitted (mg NO ₂ /kg) | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 9 | 1648.2 | 4333.8 | 3258.058 | 0 | 0 | 11 | 1648.2 | 4390.1 | 3399.973 | 0 | 0 |
| | Lettuce grown in the open air | 4000 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 1037.4 | 2917.8 | 1783.078 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Iceberg type lettuce | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 597.2 | 4820.5 | 2158.922 | 1 | 1 |
| | Lettuce grown in the open air | 3000 | 0 | 0 | 0 | 0 | 0 | 0 | 49 | 50 | 3250 | 1096.529 | 2 | 2 |
| | | | | | | | | | | | | | | |
| Spinach | Fresh | 3500 | 0 | 0 | 0 | 0 | 0 | 0 | 22 | 92.6 | 3819.1 | 1188.445 | 1 | 1 |
| | | | | | | | | | | | | | | |
| Rocket | Harvested 01 October - 31 March | 7000 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4158.5 | 4158.5 | 4158.5 | 0 | 0 |
| | Harvested 01 April - 30 September | 6000 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 614.1 | 3988.6 | 1848.7 | 0 | 0 |
| | | | | | | | | | | | | | | |
| Other leafy green veg | | n/a | 2 | 350 | 5149.6 | 2749.8 | 0 | 0 | 26 | 50 | 5540.6 | 2095.889 | 0 | 0 |
| | | | | | | | | | | | | | | |
| | Total | | 11 | | | | 0 | 0 | 151 | | | | 4 | 4 |

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| January 2022 | | Max. permitted (mg NO ₂ /kg) | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 10 | 2848.6 | 5548.6 | 4052.8 | 1 | 1 | 21 | 1648.2 | 5548.6 | 3710.843 | 1 | 1 |
| | Lettuce grown in the open air | 4000 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 1037.4 | 2917.8 | 1783.078 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Iceberg type lettuce | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 597.2 | 4820.5 | 2158.922 | 1 | 1 |
| | Lettuce grown in the open air | 3000 | 0 | 0 | 0 | 0 | 0 | 0 | 49 | 50 | 3250 | 1096.529 | 2 | 2 |
| | | | | | | | | | | | | | | |
| Spinach | Fresh | 3500 | 1 | 5814.3 | 5814.3 | 5814.3 | 1 | 1 | 23 | 92.6 | 5814.3 | 1387.657 | 2 | 2 |
| | | | | | | | | | | | | | | |
| Rocket | Harvested 01 October - 31 March | 7000 | 1 | 6599.6 | 6599.6 | 6599.6 | 0 | 0 | 2 | 4158.5 | 6599.6 | 5379.05 | 0 | 0 |
| | Harvested 01 April - 30 September | 6000 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 614.1 | 3988.6 | 1848.7 | 0 | 0 |
| | | | | | | | | | | | | | | |
| Other leafy green veg | | n/a | 1 | 3365.3 | 3365.3 | 3365.3 | 0 | 0 | 27 | 50 | 5540.6 | 2113.804 | 0 | 0 |
| | | | | | | | | | | | | | | |
| | Total | | 13 | | | | 2 | 2 | 164 | | | | 6 | 6 |

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| February 2022 | | Max. permitted (mg NO ₂ /kg) | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 0 | 0 | 0 | 0 | 0 | 0 | 31 | 1063.1 | 5548.6 | 3499.935 | 1 | 1 |
| | Lettuce grown in the open air | 4000 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 1037.4 | 2917.8 | 1783.078 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Iceberg type lettuce | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 597.2 | 4820.5 | 2158.922 | 1 | 1 |
| | Lettuce grown in the open air | 3000 | 0 | 0 | 0 | 0 | 0 | 0 | 49 | 50 | 3250 | 1096.529 | 2 | 2 |
| | | | | | | | | | | | | | | |
| Spinach | Fresh | 3500 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 92.6 | 5814.3 | 1512.442 | 3 | 3 |
| | | | | | | | | | | | | | | |
| Rocket | Harvested 01 October - 31 March | 7000 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1942.7 | 6599.6 | 4233.6 | 0 | 0 |
| | Harvested 01 April - 30 September | 6000 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 614.1 | 3988.6 | 1848.7 | 0 | 0 |
| | | | | | | | | | | | | | | |
| Other leafy green veg | | n/a | 0 | 0 | 0 | 0 | 0 | 0 | 30 | 50 | 6356 | 2416.707 | 0 | 0 |
| | | | | | | | | | | | | | | |
| | Total | | 0 | | | | 0 | 0 | 179 | | | | 7 | 7 |

| | | Sampling Month | | | | | | | Running Total | | | | | |
|--------------------------|-----------------------------------|---|-------------|---|---|---|-------------------------------|---------------------------|---------------|---|---|---|-------------------------------|---------------------------|
| March 2022 | | Max. permitted (mg NO ₂ /kg) | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max | No. samples | Min. NO ₂ (mg kg ⁻¹) | Max. NO ₂ (mg kg ⁻¹) | Mean NO ₂ (mg kg ⁻¹) | No. samples within 10% of Max | No. samples exceeding Max |
| Lettuce non-iceberg type | Harvested 01 October - 31 March | | | | | | | | | | | | | |
| | Lettuce grown under cover | 5000 | 14 | 875.7 | 4510.5 | 2671.507 | 0 | 0 | 45 | 875.7 | 5548.6 | 3242.202 | 1 | 1 |
| | Lettuce grown in the open air | 4000 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 1037.4 | 2917.8 | 1783.078 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Harvested 01 April - 30 September | | | | | | | | | | | | | |
| | Lettuce grown under cover | 4000 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 597.2 | 4820.5 | 2158.922 | 1 | 1 |
| | Lettuce grown in the open air | 3000 | 0 | 0 | 0 | 0 | 0 | 0 | 49 | 50 | 3250 | 1096.629 | 2 | 2 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Iceberg type lettuce | Lettuce grown in the open air | 2000 | 0 | 0 | 0 | 0 | 0 | 0 | 18 | 149 | 1701.3 | 935.1611 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Spinach | Fresh | 3500 | 2 | 2348.2 | 2787 | 2567.6 | 0 | 0 | 26 | 92.6 | 5814.3 | 1593.608 | 3 | 3 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rocket | Harvested 01 October - 31 March | 7000 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1942.7 | 6599.6 | 4233.6 | 0 | 0 |
| | Harvested 01 April - 30 September | 6000 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 614.1 | 3968.6 | 1846.7 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other leafy green veg | | n/a | 7 | 50 | 7046.9 | 2994.829 | 0 | 0 | 37 | 50 | 7046.9 | 2526.081 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | | 23 | | | | 0 | 0 | 202 | | | | 7 | 7 |