



Inter-laboratory collaborative trial of real-time PCR method phase 2: Appendix 3 Youden plots of raw data from the collaborative trial

Horse in processed beef, 0.1%: blind replicates



Horse in processed beef, 0.5%: blind replicates


Horse in processed beef 0.5% : blind replicates



Laboratories 13 and 15 were non-compliant due to single data points only.


Horse in processed beef, 1%: blind replicates

Horse in processed beef 1% : blind replicates




Horse in processed beef, 3%: blind replicates

Horse in processed beef 3 % : blind replicates




Horse in processed beef, 10%: blind replicates

Horse in processed beef 10 % : blind replicates




Pork in processed beef, 0.1%: blind replicates

Pork in processed beef, 0.1% : blind replicates




Pork in processed beef, 0.5%: blind replicates

Pork in processed beef, 0.5% : blind replicates




Pork in processed beef, 1%: blind replicates

Pork in processed beef, 1% : blind replicates




Pork in processed beef, 3%: blind replicates

Pork in processed beef, 3% : blind replicates




Pork in processed beef, 10%: blind replicates

Pork in processed beef, 10% : blind replicates




Pork in raw beef, 0.1%: blind replicates

Pork in raw beef, 0.1% : blind replicates




Pork in raw beef, 0.5%: blind replicates

Pork in raw beef, 0.5% : blind replicates




Pork in raw beef, 1%: blind replicates

Pork in raw beef, 1% : blind replicates



Pork in raw beef, 3%: blind replicates

Pork in raw beef, 3% : blind replicates



Pork in raw beef, 10%: blind replicates

Pork in raw beef, 10% : blind replicates

