

Brew York recalls Juice Forsyth because of risk of cans exploding

Brew York is recalling Juice Forsyth on a precautionary basis because there have been reports that cans have exploded as a result of over carbonation.

Product details

name: Brew York Juice Forsyth

Pack size	440ml
Batch code	Gyle 1036
Best before	23 July 2024

Risk statement

There is a risk that the cans may explode which may cause injury.

Action taken by the company

Brew York is recalling the above product. A point of sale notice will be displayed in all retail stores that are selling this product. This notice explains to customers why the product is being recalled and tells them what to do if they have bought the product. Please see the attached notice.

PDF

[View Customer notice: Brew York recalls Juice Forsyth as pdf\(Open in a new window\)](#) (199.68 KB)

Our advice to consumers

If you have bought the above product, do not drink it as the can may explode. Please contact Brew York via store@brewyork.co.uk for a refund and replacement. Please avoid unnecessary handling of the product and do not return it to the store, instead, safely dispose of the product. For more information, please contact Brew York on 01904 848448.

About product recalls and withdrawals

If there is a problem with a food product that means it should not be sold, then it might be 'withdrawn' (taken off the shelves) or 'recalled' (when customers are asked to return the product). The FSA issues Product Recall Information Notices to let consumers and local authorities know about problems associated with food. In some cases, a 'Food Alert for Action' is issued. This provides local authorities with details of specific action to be taken on behalf of consumers.

Ref: FSA-PRIN-26-2024

[Subscribe to news and alerts](#)